

Revision date: 06.11.2015

	VEEDOL ATF III-G
Description	<ul> <li>Veedol ATF III-G is a very high grade automatic transmission fluid formulated with solvent refined base oils and a number of select additives to obtain the following properties:</li> <li>Very high and stable viscosity index</li> <li>Very low pour point</li> <li>Very good stability against oxidation</li> <li>Positive activity against wear, corrosion and foaming</li> <li>Specific friction properties</li> <li>Perfect compatibility with seals and non-ferro metals</li> <li>Red coloured</li> </ul>
Application	This fluid is used for automatic gear boxes, power steering units, torque converters and other equipment for which an ATF Dexron III-F, III-G and/or III-H fluid is required.
Performance Specifications	MB-Approval 236.1 MAN 339 Typ Z1/V1 ZF TE-ML 04D/14A Meets the requirements of: GM Dexron IIIG (performance level IIIH) Allison C4 Ford Mercon Cat TO-2 ZF TE-ML 02F/03D/09/11B/17C Voith 55.6335 Volvo 97341
Typicals Properties	Density at 15 °C, kg/l.       .0,865         Viscosity 40 °C, mm²/s       .35,30         Viscosity 100 °C, mm²/s       .7,70         Viscosity Index.       .193         Flash Point COC, °C       .188         Pour Point, °C.       .45         Total Base Number, mgKOH/g       .2,5         Sulphate Ash, %       .0,06

## Veedol International B.V.

Kabelweg 21 | 1014 BA | Amsterdam | The Netherlands | Tel: +31(0)20-3584607 | Fax: +31(0)20-3313266

™ Registered trademark of Veedol International UK

The data mentioned in this product information sheet is meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The reader is advised, specially for critical applications, to make the final procuct-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.