

## VEEDOL MARATRON ULTRA LSP 5W-30

**Description** **Veedol Maratron Ultra LSP 5W-30** is a top quality fuel economy diesel engine oil based on the latest additive technology combined with very special base oils. This engine oil has the following properties:

- Very powerful detergency prevents deposits in the engine
- Very strong dispersion that prevents from precipitation and sludge formation
- Powerful activity against wear, corrosion and foaming
- High and stable viscosity index
- Low sulphated ash number
- Prolonged oil drain intervals
- Lower fuel consumption

**Application** This fuel saving motor oil has mainly been developed for heavy diesel engines even under the toughest operating conditions and all year round use. This product is very suitable for Euro 4, Euro 5 and Euro 6 engines in combination with diesel fuel with a low sulphur content. This engine oil is also suitable for application in engines with or without particulate filters and exhaust catalysts. This motor oil is one of the group "Low SAPS" lubricants.

### Performance Specifications

API CJ-4/SN	Meets the requirements of
ACEA E6-12, E7-12, E9-12	MTU Type 3.1
MB-Approval 228.51	Renault VI RXD/RGD
MAN M 3677/M 3477/M 3271-1	Mack EO-M Plus
Volvo VDS-4/VDS-3	Cummins CES 20081
Mack EO-O Premium Plus/EO-N	Cat ECF-3
Renault VI RLD-3/RLD-2	Deutz DQC IV-10 LA
	JASO DH-2
	Detroit Diesel 93K218
	Scania Low Ash
	MB 228.31

### Typicals Properties

Density at 15 °C, kg/l.....	0,855
Viscosity -30 °C, mPa.s.....	6460
Viscosity 40 °C, mm <sup>2</sup> /s.....	70,20
Viscosity 100 °C, mm <sup>2</sup> /s.....	11,80
Viscosity Index.....	165
Flash Point COC, °C.....	214
Pour Point, °C.....	-45
Total Base Number, mgKOH/g.....	9,3
Sulphate Ash, %.....	0,99

### Veedol International B.V.

Kabelweg 21 | 1014 BA | Amsterdam | The Netherlands | Tel: +31(0)20-3584607 | Fax: +31(0)20-3313266

™ Registered trademark of Veedol International UK

The data mentioned in this product information sheet is meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The reader is advised, specially for critical applications, to make the final product-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.